

Model	Category	Type	LONG DESCRIPTION	MSRP
430W	Accessory	Bracket	Indoor Wall / Ceiling Mount Bracket (white)	€ 50,00
CKS600	Accessory	Housing	External housing for IP Box cameras	€ 320,00
CKS605POE	Accessory	Housing	External housing with heater (PoE) for IP box cameras	€ 540,00
CPR705POE	Accessory	Housing	External housing with heater (PoE) for IP box cameras	€ 540,00
M13VG288IR	Accessory	Lens	CCTV lens, focal length 2.8 to 8 mm, CS-mount, 1/2.7" optical format, aperture range 1.2 to 360, iris type: auto iris dc	€ 180,00
M13VG550IR	Accessory	Lens	CCTV lens, focal length 5 to 50 mm, CS-mount, 1/3" optical format, aperture range 1.6 to 360, iris type: auto iris dc	€ 232,00
M13VG850IR	Accessory	Lens	CCTV lens, focal length 8 to 50 mm, CS-mount, 1/2.7" optical format, aperture range 1.6 to 360, iris type: auto iris dc	€ 320,00
VaxALPR-IP	Software	License	VaxALPR (Vaxtor) - Numbers of plugins: 1, Description: License plate recognition license (EDGE) for i-PRO AI Camera. 1x license per camera required.	€ 850,00
WJ-HXE410G	NVR	Extension Unit	Hard Disk Extension Unit for WJ-NX410/510	€ 4.423,00
WJ-NU101KG	NVR	4x Channel	NVRs with a build-in PoE+ 4Port + switch, Camera CH4, HDD 1 Slot, Max capacity: 20TB . Throughput in 48 Mbps, Throughput out 48 Mbps, Network Bandwidth 96 Mbps, Recording Bandwidth 48Mbps, H.265 / H.264 / JPEG	€ 978,00
WJ-NU201KG	NVR	8x Channel	NVRs with a build-in PoE+ 8Port + switch, Camera CH8, HDD 1 Slot, Max capacity: 20TB . Throughput in 64 Mbps, Throughput out 64 Mbps, Network Bandwidth 128 Mbps, Recording Bandwidth 64Mbps, H.265 / H.264 / JPEG	€ 1.167,00
WJ-NU300KG	NVR	16x Channel	NVRs with a build-in PoE+ 8Port + switch, Camera CH16, HDD 1 Slot, Max capacity: 20TB . Throughput in 128 Mbps, Throughput out 128 Mbps, Network Bandwidth 256 Mbps, Recording Bandwidth 128Mbps, H.265 / H.264 / JPEG	€ 1.300,00
WJ-NU301KG	NVR	16x Channel	NVRs with a build-in PoE+ 16Port + switch, Camera CH16, HDD 2 Slot, Max capacity: 40TB . Throughput in 128 Mbps, Throughput out 128 Mbps, Network Bandwidth 256 Mbps, Recording Bandwidth 128Mbps, H.265 / H.264 / JPEG – RAID 1 supported	€ 1.450,00
WJ-NX310KG	NVR	16x Channel	H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 256Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NX300	€ 2.220,00
WJ-NX410KG	NVR	32x Channel	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output	€ 5.400,00
WJ-NX510KG	NVR	64x Channel	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NX400	€ 9.889,00
WJ-NXC05W	Software	License	Panasonic Client Concurrent Access Kit for WV-ASM300	€ 1.700,00
WJ-NXE20W	Software	License	The i-PRO 7 channel extension license for WJ-NX200. Number of cameras used in the system can be increased to 32 (maximum) by purchasing the Additional Camera license.	€ 650,00
WJ-NXE30W	Software	License	The i-PRO 8 channel extension license for WJ-NX300. Number of cameras used in the system can be increased to 32 (maximum) by purchasing the Additional Camera license.	€ 850,00
WJ-NXE32W	Software	License	8 channel extension license for WJ-NX310	€ 850,00
WJ-NXE33W	Software	License	16 channel extension license for WJ-NX310	€ 1.350,00
WJ-NXE40W	Software	License	The i-PRO 32 channel extension license for WJ-NX400.	€ 3.370,00
WJ-NXE42W	Software	License	32 channel extension license for WJ-NX410	€ 3.200,00
WJ-NXE52W	Software	License	32 channel extension license for WJ-NX510	€ 3.200,00
WJ-NXE53W	Software	License	64 channel extension license for WJ-NX510	€ 5.300,00
WJ-NXF02W	Software	License	The i-PRO Business Intelligence license for WJ-NX200/NX300.	€ 1.100,00
WJ-NXR30W	Software	License	Additional Software License to enable the RAID function on WJ-NX300.	€ 850,00
WJ-NXS01W	Software	License	License Secure Communication - Optional license for 1ch	€ 286,00
WJ-NXS04W	Software	License	License Secure Communication - Optional license for 4ch	€ 600,00
WJ-NXS16W	Software	License	License Secure Communication - Optional license for 16ch	€ 1.690,00
WJ-NXS32W	Software	License	License Secure Communication - Optional license for 32ch	€ 2.740,00
WJ-PC200E	Accessory	Converter	Coaxial - LAN Converter Camera Side Unit. Easy Migration, Power over Ethernet Plus (PoE+) ready, High-speed transmission, No setup required	€ 140,00
WJ-PR201E	Accessory	Converter	1-Channel Receiver Side Unit	€ 240,00
WJ-PR204E	Accessory	Converter	4-Channel Receiver Side Unit	€ 520,00
WJ-PU201/G	Accessory	PoE Injector	POE Injector RJ45	€ 190,00
WJ-PU201F/G	Accessory	PoE Injector	POE Injector SFP	€ 430,00
WV-ASE202W	Software	License	Additional license for ASM200 and ASM300 to enable the following functions: viewing of up to 64 cameras	€ 660,00
WV-ASE203W	Software	License	Additional license for ASM200 and ASM300 to enable the following functions: total maximum number of recorders 500.	€ 660,00
WV-ASE205W	Software	License	Visibility enhancement function per ASM200 e ASM300	€ 8.500,00

WV-ASM300W	Software	License	i-PRO Management Software, Integrated camera control, viewing and recorder management, Integrates i-PRO Extreme H.265 & i-PRO H.264 equipment, Supports SSL communication using Symantec device certification, Supports Panasonic "AES-256bit" encryption video, NEW user-interface design & 4K native GUI enhances usability, Automatic camera configuration wizard speeds system set-up, Includes multi-monitor and WV-CU950 support as standard, Base: 100 recorders, 64 encoders and 256 cameras, Expandable to thousands of cameras, recorders and encoders, Full array of software extension modules available Replacement of WV-ASM200+ASE201	€ 1.260,00
WV-CF5SA	Accessory	Dome cover	Smoke Dome Cover for WV-S21xx	€ 20,00
WV-CR1S	Accessory	Dome cover	Smoke Dome Cover for WV-S22xxL	€ 49,00
WV-CU980/G	Joystick	Joystick	Compact Ethernet System Controller, Compatible with WV-ASM300 and Video Insight, PTZ, TOP button, A/B button, Recorder control operated by buttons, Main unit and joystick can be separated, Changeable moving direction (PAN/TILT), Calibration of lever position (by user), Universal design for right- or left-handed	€ 1.543,00
WV-CW6SA	Accessory	Dome cover	Smoke Dome Cover for WV-S35xx and WV-S31xx	€ 19,00
WV-CW7CN	Accessory	Dome cover	Clear Dome Cover with ClearSight Coating for WV-S25xxL	€ 120,00
WV-CW7S	Accessory	Dome cover	Smoke Dome Cover for WV-S25xxL	€ 49,00
WV-CW7SN	Accessory	Dome cover	Smoke Dome Cover with ClearSight Coating for WV-S25xxL	€ 127,00
WV-CW8CN	Accessory	Front Panel	Clear Front Panel for Box Camera WV-S15xxL	€ 120,00
WV-PM500	Accessory	Microphone	Compact microphone unit for surveillance camera. Compact design (32x23x15.5mm)IP65Indoor/Outdoor use, installable with i-PRO bracket Installable on the ceiling, wall, embedded, AI sound classification available**when using with i-PRO AI cameras	€ 115,00
WV-Q105A	Accessory	Bracket	Dome, Fisheye and PTZ Ceiling Mount Bracket - optional safety wire for WV-S21xx, WV-S22xx, WV-S25xx, WV-U2132L, WV-U2142L, WV-X22xx, WV-S41xx, WV-X41xx, WV-S6130, WV-S61x1, WV-CW630, WV-CW500, WV-CW364S and WV-CS580	€ 85,00
WV-Q121B	Accessory	Bracket	Outdoor PTZ Ceiling Pendant Mount (silver) for WV-S65xx, WV-X65xx and WV-CW590	€ 200,00
WV-Q122A	Accessory	Bracket	Outdoor PTZ Wall Hanging Mount (silver) for WV-S65xx, WV-X65xx and WV-CW590	€ 160,00
WV-Q122AS	Accessory	Bracket	Outdoor PTZ Wall Hanging Mount (silver) with heavy salt damage resistance for WV-X6531NS	€ 350,00
WV-Q123A	Accessory	Bracket	Outdoor PTZ Attachment Pipe Mount (silver) for WV-S65xx and WV-X65xx to be used on joint sections between the mount bracket and 3rd party brackets	€ 100,00
WV-Q124	Accessory	Bracket	Embedded PTZ Indoor Ceiling Mount bracket for WV-S61x1 and WV-CS580	€ 105,00
WV-Q158C	Accessory	Bracket	Wall Mount Bracket (clear) for WV-S6130	€ 240,00
WV-Q158S	Accessory	Bracket	Wall Mount Bracket (smoke) for WV-S6130 (approx. 50 % of transmittance)	€ 240,00
WV-Q159C	Accessory	Bracket	Embedded Ceiling Mount Bracket (clear) for WV-S6130	€ 233,00
WV-Q159S	Accessory	Bracket	Embedded Ceiling Mount Bracket (smoke) for WV-S6130 (approx. 50 % of transmittance)	€ 233,00
WV-Q160S	Accessory	Bracket	Indoor Dome Cover (Smoke) for WV-S6130 (approx. 50 % of transmittance)	€ 125,00
WV-Q161	Accessory	Dome cover	Inner Dome Cover for WV-S6130	€ 83,00
WV-Q169A	Accessory	Bracket	Outdoor Dome Embedded Ceiling Mount for WV-S25xx, WV-CW630, WV-CW500 and WV-CW364S	€ 250,00
WV-Q174B	Accessory	Bracket	Indoor Dome Embedded Ceiling Mount (sail white) for WV-S21xx, WV-S22xx and WV-CF344/354/374	€ 80,00
WV-Q178	Accessory	Bracket	Dome and Fisheye Ceiling Pendant Mount (GREY) for WV-S25xx, WV-S45xx, WV-X45xx, WV-CW630, WV-CW500 and WV-CW364S in combination with WV-Q186 Multi Sensor Ceiling Pendant Mount (GREY) for WV-S85xx and WV-X85xx in combination with WV-Q187,	€ 210,00
WV-Q179	Accessory	Bracket	Dome and Fisheye Ceiling Pendant Mount (GREY) for WV-S25xx, WV-S45xx and WV-X45xx in combination with WV-Q186, Outdoor Multi Sensor Ceiling Pendant Mount (GREY) for WV-S85xx and WV-X85xx in combination with WV-Q187 to be used on joint sections between the mount bracket and 3rd party brackets	€ 100,00
WV-Q183	Accessory	Bracket	(Compact) Dome, Fisheye and Multi Sensor Corner Mount (GREY) for WV-S25xx, WV-S35xx, WV-S45xx, WV-X45xx, WV-S85xx, WV-X85xx, WV-CW630, WV-CW500 and WV-CW364S (please check for requirement of wall hanging brackets)	€ 160,00
WV-Q187	Accessory	Bracket	Ceiling Pendant Mount (GREY) for WV-S85xx and WV-X85xx in combination with WV-Q178 Wall Hanging Mount (GREY) for WV-S85xx and WV-X85xx in combination with WV-Q185 Or for WV-S85xx and WV-X85xx in combination with WV-Q179 to be used on joint sections between the mount bracket and 3rd party brackets	€ 120,00
WV-Q188	Accessory	Bracket	Pole Mount (silver) for WV-S15xx, WV-S65xx, WV-X65xx and WV-CW590 (please check for requirement of wall hanging brackets)	€ 147,00
WV-Q189	Accessory	Bracket	Box and PTZ Corner Mount (silver) for WV-S15xx, WV-S65xx, WV-X65xx and WV-CW590 (please check for requirement of wall hanging brackets)	€ 140,00
WV-Q193	Accessory	Bracket	Base Bracket for WV-S4550LM and WV-S4571LM	€ 110,00
WV-Q202	Accessory	Bracket	Rack Mount Bracket for WJ-NX200/300	€ 30,00
WV-Q204/2S	Accessory	Bracket	Rack Mount Bracket for two WJ-GXD400 or three WJ-GXE500	€ 170,00
WV-QAT100	Accessory	Dome cover	Inner Dome Cover compatible with S61301-Z2	€ 56,00
WV-QAT502-G	Accessory	Bracket	DOUBLE/OCTAGON/GANG BOX Gangbox Adapter (Light GREY)	€ 60,00
WV-QAT502-W	Accessory	Bracket	DOUBLE/OCTAGON/GANG BOX Gangbox Adapter (White)	€ 60,00
WV-QCA500A	Accessory	Cable	RJ45 extension cable supported by grommet type cameras	€ 40,00
WV-QCA500APK	Accessory	Cable	RJ45 extension cable supported by grommet type cameras	€ 300,00
WV-QCA501A	Accessory	Cable	Multi cable supported by grommet type cameras	€ 57,00
WV-QCA501APK	Accessory	Cable	Multi cable supported by grommet type cameras	€ 400,00
WV-QCD100C-W	Accessory	Bracket	Ceiling Mount Bracket (Clear/i-PRO white For WV-S61301-Z2, U61301-Z2 and U61301-Z1	€ 139,00
WV-QCD100G-W	Accessory	Bracket	Ceiling Mount Bracket Smoke Dome For WV-S61301-Z2, U61301-Z2 and U61301-Z1	€ 139,00
WV-QCL100-B	Accessory	Bracket	Ceiling Mount Bracket (black)	€ 85,00

WV-QCL100-W	Accessory	Bracket	Ceiling Mount Bracket (white)	€ 85,00
WV-QCL101-B	Accessory	Bracket	Ceiling Mount Bracket (black)	€ 85,00
WV-QCL101-W	Accessory	Bracket	Ceiling Mount Bracket (white)	€ 85,00
WV-QCL102-B	Accessory	Bracket	Universal Camera Mount Bracket (Black)	€ 130,00
WV-QCL102-W	Accessory	Bracket	Universal Camera Mount Bracket (i-PRO white)	€ 130,00
WV-QCL500-W	Accessory	Bracket	PTZ Ceiling surface mount bracket (white) for WV-S65xx and WV-X65xx	€ 170,00
WV-QCL501-B	Accessory	Bracket	Pendant Ceiling Mount black	€ 165,00
WV-QCL501S-W	Accessory	Bracket	Ceiling Mount Bracket (i-PRO white) -salt damage resistance	€ 600,00
WV-QCL501-W	Accessory	Bracket	Pendant Ceiling Mount (white) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras in combination with WV-QSR501-W	€ 165,00
WV-QCN500-B	Accessory	Bracket	Corner mount black	€ 135,00
WV-QCN500-W	Accessory	Bracket	Corner Mount (white) for WV-U15xx, WV-X15xx, WV-U25xx and WV-X25xx (please check for requirement of wall hanging brackets)	€ 135,00
WV-QDC100C-W	Accessory	Dome cover	Clear Dome Cover (i-PRO white) for S61302-Z4	€ 113,00
WV-QDC100G-W	Accessory	Dome cover	Smoke Dome Cover (i-PRO white) for S61302-Z4	€ 113,00
WV-QDC101C	Accessory	Dome cover	Clear Dome Cover for WV-S(U)21xx / WV-S(U)61300-ZY series network cameras (without clear sight coating)	€ 50,00
WV-QDC102C	Accessory	Dome cover	Clear Dome Cover for WV-S6130 / WV-S(U)61301-xx (without clear sight coating)	€ 40,00
WV-QDC200C	Accessory	Dome cover	Clear Dome Cover for WV-X(S)22xx series network cameras (without clear sight coating)	€ 70,00
WV-QDC500C	Accessory	Dome cover	Clear Dome Cover for WV-U21x0(L) / WV-U25x0(L) series network cameras (without clear sight coating)	€ 55,00
WV-QDC500S	Accessory	Dome cover	Smoke Dome Cover for U2130L, U2140L, U2530L and U2540L	€ 36,00
WV-QDC501C	Accessory	Dome cover	Clear Dome Cover for WV-S854x(L) / WV-S856x(L) / WV-S857x(L) series network cameras (without clear sight coating)	€ 120,00
WV-QDC501G	Accessory	Dome cover	Smoke Dome Cover for S8574L (LG) S8573L (LG) S8564L (LG) S8563L (LG) S8544L (LG) S8543L (LG) S8544 (G) S8543 (G)	€ 160,00
WV-QDC502C	Accessory	Dome cover	Clear Dome Cover for WV-S(U)65302-xx series network cameras (without clear sight coating)	€ 105,00
WV-QDC502G	Accessory	Dome cover	Smoke Dome Cover for S8574L (LG) S8573L (LG) S8564L (LG) S8563L (LG) S8544L (LG) S8543L (LG) S8544 (G) S8543 (G)	€ 100,00
WV-QDC503C	Accessory	Dome cover	Clear Dome Cover for WV-X(S)65xxN / WV-X85xxN series network cameras (without clear sight coating)	€ 110,00
WV-QDC503CN	Accessory	Dome cover	Clear Dome Cover for WV-X(S)65xxN / WV-X85xxN / WV-S65340-xx series network cameras (with clear sight coating)	€ 155,00
WV-QDC503G	Accessory	Dome cover	Smoke Dome Cover for U65302-Z2 (-Z2G) U65301-Z1 (-Z1G)	€ 125,00
WV-QDC504C	Accessory	Dome cover	Clear Dome Cover for WV-X(S)25xx / series network cameras (without clear sight coating)	€ 225,00
WV-QDC505C	Accessory	Dome cover	Clear Dome Cover for WV-S35xxL / WV-S31xxL / WV-SFV130 series network cameras (without clear sight coating)	€ 55,00
WV-QDC506C	Accessory	Dome cover	Clear Dome Cover for WV-SBV131M (without clear sight coating)	€ 30,00
WV-QDC507C	Accessory	Dome cover	Clear Dome Cover for WV-S45xxL series network cameras (without clear sight coating)	€ 70,00
WV-QDC508C	Accessory	Dome cover	Clear dome cover for Rapid PTZ	€ 185,00
WV-QDC508CN	Accessory	Dome cover	Clear dome cover for Rapid PTZ (with clearsight coating)	€ 210,00
WV-QDC508G	Accessory	Dome cover	Smoke dome cover for Rapid PTZ	€ 185,00
WV-QDC509CN	Accessory	Dome cover	Dome Cover with clearsight coating compatible with WV-X25580-F2LN2V	€ 100,00
WV-QED100C-W	Accessory	Bracket	Embedded Ceiling Mount Bracket White Clear Dome For WV-S61301-Z2, U61301-Z2 and U61301-Z1	€ 260,00
WV-QED100G-W	Accessory	Bracket	Embedded Ceiling Mount Bracket White Smoke Dome For WV-S61301-Z2, U61301-Z2 and U61301-Z1	€ 260,00
WV-QEM100-B	Accessory	Bracket	Embedded Ceiling Mount (BLACK) for U Series Varifocal-Lens Indoor Dome models and AI capable cameras	€ 60,00
WV-QEM100-W	Accessory	Bracket	Embedded Ceiling Mount (white) for U Series Varifocal-Lens Indoor Dome models and AI capable cameras	€ 60,00
WV-QEM101-W	Accessory	Bracket	Embedded Ceiling Mount (i-PRO white) for indoor PTZ WV-S61302-Z4, WV-S6131,	€ 230,00
WV-QEM500-W	Accessory	Bracket	Embedded Ceiling Mount (white) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras	€ 156,00
WV-QEM501-W	Accessory	Bracket	Embedded Ceiling Mount (i-PRO white) for WV-U61300-ZY, -ZYG	€ 77,00
WV-QEM502-W	Accessory	Bracket	Embedded Ceiling Mount (i-PRO white)For WV-U65300-ZY, -ZYG. Indoor use only.	€ 77,00
WV-QEM503-W	Accessory	Bracket	Embedded Ceiling Mount (i-PRO white) For WV-U65301-Z1, -Z1G. Indoor use only	€ 77,00
WV-QEM504-W	Accessory	Bracket	Embedded Ceiling Mount (i-PRO white) For WV-U65302-Z2, -Z2G. Indoor use only.	€ 77,00
WV-QEM505-W	Accessory	Bracket	Ceiling Mount Bracket for rapid PTZ camera	€ 210,00
WV-QEM506-B	Accessory	Bracket	Mount Bracket for Multi-directional+PTZ camera (Black)	€ 400,00
WV-QEM506-W	Accessory	Bracket	Mount Bracket for Multi-directional+PTZ camera(i-PRO white)	€ 400,00
WV-QJB500-B	Accessory	Bracket	Adapter box Black	€ 60,00
WV-QJB500-G	Accessory	Bracket	Adapter box (GREY) in combination with WV-QWL500-G	€ 60,00
WV-QJB500-W	Accessory	Bracket	Adapter box (white) in combination with WV-QWL500-W	€ 60,00
WV-QJB501-B	Accessory	Bracket	Surface Ceiling Mount (black) for U Series Varifocal-Lens Outdoor Dome models	€ 55,00
WV-QJB501-W	Accessory	Bracket	Surface Ceiling Mount (white) for U Series Varifocal-Lens Outdoor Dome models	€ 55,00
WV-QJB502A-B	Accessory	Bracket	Ceiling surface mount bracket (Black)	€ 75,00
WV-QJB502A-W	Accessory	Bracket	Ceiling surface mount bracket (i-PRO white)	€ 75,00
WV-QJB502-W	Accessory	Bracket	Ceiling surface mount bracket (white) for WV-S35xx series	€ 60,00
WV-QJB503-W	Accessory	Bracket	Base Bracket (i-PRO white) for ceiling Mount Bracket compatible with: WV-Q105A for cameras: WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x	€ 160,00
WV-QJB504-W	Accessory	Bracket	Base Bracket (i-PRO white) for ceiling	€ 53,00
WV-QJB505-W	Accessory	Bracket	Junction Box for rapid PTZ camera	€ 45,00
WV-QJB506-B	Accessory	Bracket	Base bracket compatible with WV-X25580-F2LN2V (Black)	€ 130,00
WV-QLR100-B	Accessory	Bracket	Light Rail Mount Bracket (black)	€ 110,00
WV-QLR100-W	Accessory	Bracket	Light Rail Mount Bracket (i-PRO white)	€ 110,00

WV-QPL500-B	Accessory	Bracket	Pole Mount (black) for WV-U15xx, WV-X15xx, WV-U25xx, WV-X25xx, WV-U2530L and WV-U2540L (please check for requirement of wall hanging brackets)	€ 137,00
WV-QPL500-W	Accessory	Bracket	Pole Mount (white) for WV-U15xx, WV-X15xx, WV-U25xx, WV-X25xx, WV-U2530L and WV-U2540L (please check for requirement of wall hanging brackets)	€ 137,00
WV-QRM001	Accessory	Bracket	Vertical rack mount bracket for WJ-NU series	€ 70,00
WV-QRM101	Accessory	Bracket	Rack mount bracket for WJ-NU series	€ 55,00
WV-QRM201	Accessory	Bracket	Wall mounting bracket for WJ-NU series	€ 32,00
WV-QSR100-B	Accessory	Sun Shade	Sunshade black	€ 67,00
WV-QSR100-W	Accessory	Sun Shade	Sunshade white	€ 67,00
WV-QSR500-W	Accessory	Sun Shade	Sun Shade (white) for outdoor cameraWV-S25700-V2LN,-V2LG WV-S25700-V2LN1,WV-X2571LN 4K WV-S2572L 4K WV-S25600-V2LN,-V2LG, WV-S25500-V3LN,-V3LG, WV-S25500-V3LN1, WV-X2551LN, WV-S2552L, WV-S2536LN,LGN, WV-S2536LTN, WV-U2542LA, WV-U2532LA	€ 63,00
WV-QSR501-B	Accessory	Bracket	Ceiling Pendant Mount (black) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QCL501 Wall Hanging Mount (black) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QWL501 Or for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QAT500 to be used on joint sections between the mount bracket and 3rd party brackets	€ 57,00
WV-QSR501F1-W	Accessory	Bracket	Mount Bracket Female/ANSI (i-PRO white)	€ 140,00
WV-QSR501F-W	Accessory	Bracket	Mount Bracket Female/ISO (i-PRO white)	€ 140,00
WV-QSR501M1-W	Accessory	Bracket	Mount Bracket Male/ANSI (i-PRO white)	€ 140,00
WV-QSR501M-W	Accessory	Bracket	Mount Bracket Male/ISO (i-PRO white)	€ 140,00
WV-QSR501S-W	Accessory	Bracket	Ceiling Pendant Mount (i-PRO white) -salt damage resistance	€ 150,00
WV-QSR501-W	Accessory	Bracket	Ceiling Pendant Mount (white) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QCL501-W Wall Hanging Mount (white) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QWL501-W Or for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QAT500-W to be used on joint sections between the mount bracket and 3rd party brackets	€ 57,00
WV-QSR502A-W	Accessory	Bracket	Ceiling Pendant Mount (white) for WV-S85xx and WV-X85xx in combination with WV-Q178 Wall Hanging Mount (white) forWV-S85xx and WV-X85xx in combination with WV-Q185 Or for WV-S85xx and WV-X85xx in combination with WV-Q179 to be used on joint sections between the mount bracket and 3rd party brackets	€ 116,00
WV-QSR503F1-W	Accessory	Bracket	Mount Bracket Female/ANSI (i-PRO white) for fixing Multisensor cameras compatible with: third party brackets and cameras WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x	€ 260,00
WV-QSR503F-W	Accessory	Bracket	Mount Bracket Female/ISO (i-PRO white) for fixing Multisensor cameras compatible with: third party brackets and cameras WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x	€ 260,00
WV-QSR503M1-W	Accessory	Bracket	Mount Bracket Male/ANSI (i-PRO white) for Multisensor cameras compatible with: QCL100 brackets and WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x cameras	€ 260,00
WV-QSR503M-W	Accessory	Bracket	Mount Bracket Male/ISO (i-PRO white) for Multisensor cameras compatible with: QCL100 brackets and WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x cameras	€ 260,00
WV-QSR503-W	Accessory	Bracket	Mount Bracket Male/ISO (i-PRO white) for Multisensor cameras compatible with: QCL100 brackets and WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x cameras	€ 260,00
WV-QSR504-B	Accessory	Bracket	Mount Bracket (black) 4 holes for dome cameras compatible bracket with WV-QCL501-W, WV-QWL501-W,	€ 137,00
WV-QSR504F1-W	Accessory	Bracket	Mount Bracket Female/ANSI (i-PRO white) for dome cameras	€ 135,00
WV-QSR504F-W	Accessory	Bracket	Mount Bracket Female/ISO (i-PRO white) for dome cameras	€ 135,00
WV-QSR504M1-W	Accessory	Bracket	Mount Bracket Male/ANSI (i-PRO white) for dome cameras	€ 135,00
WV-QSR504M-W	Accessory	Bracket	Mount Bracket Male/ISO (i-PRO white) for dome cameras	€ 135,00
WV-QSR504S-W	Accessory	Bracket	Mount Bracket (i-PRO white) 4 holes Bracket with heavy salt damage resistance for dome cameras compatible bracket with WV-QCL501S-W, WV-QWL501S-W.	€ 177,00
WV-QSR504-W	Accessory	Bracket	Mount Bracket (i-PRO white) 4 holes for dome cameras compatible bracket with WV-QCL501-W, WV-QWL501-W,	€ 137,00
WV-QSR505-B	Accessory	Bracket	Sunshade black	€ 75,00
WV-QSR505-W	Accessory	Bracket	Sunshade	€ 75,00
WV-QSR506F1-W	Accessory	Bracket	Mount Bracket Female/ANSI for rapid PTZ camera	€ 80,00
WV-QSR506F-W	Accessory	Bracket	Mount Bracket Female/ISO for rapid PTZ camera	€ 80,00
WV-QSR506M1-W	Accessory	Bracket	Mount Bracket Male/ANSI for rapid PTZ camera	€ 80,00
WV-QSR506M-W	Accessory	Bracket	Mount Bracket Male/ISO for rapid PTZ camera	€ 80,00
WV-QSR506S-W	Accessory	Bracket	4-screw Mount Bracket (i-PRO White), Precautions for heavy salt damage resistance	€ 125,00
WV-QSR506-W	Accessory	Bracket	Mount Bracket for rapid PTZ camera	€ 80,00
WV-QSR507-B	Accessory	Bracket	Mount Bracket for dual sensor camera (Black)	€ 175,00
WV-QSR507F1-B	Accessory	Bracket	Mount Bracket Female/ANSI for dual sensor camera (Black)	€ 175,00
WV-QSR507F1-W	Accessory	Bracket	Mount Bracket Female/ANSI for dual sensor camera (i-PRO white)	€ 175,00
WV-QSR507F-B	Accessory	Bracket	Mount Bracket Female/ISO for dual sensor camera (Black)	€ 175,00
WV-QSR507F-W	Accessory	Bracket	Mount Bracket Female/ISO for dual sensor camera (i-PRO white)	€ 175,00
WV-QSR507M1-B	Accessory	Bracket	Mount Bracket Male/ANSI for dual sensor camera (Black)	€ 175,00
WV-QSR507M1-W	Accessory	Bracket	Mount Bracket Male/ANSI for dual sensor camera (i-PRO white)	€ 175,00
WV-QSR507M-B	Accessory	Bracket	Mount Bracket Male/ISO for dual sensor camera (Black)	€ 175,00
WV-QSR507M-W	Accessory	Bracket	Mount Bracket Male/ISO for dual sensor camera (i-PRO white)	€ 175,00
WV-QSR507-W	Accessory	Bracket	Mount Bracket for dual sensor camera (i-PRO white)	€ 175,00
WV-QSR508-B	Accessory	Bracket	Mount Bracket for Multi directional+PTZ camera (Black)	€ 190,00
WV-QSR508F1-B	Accessory	Bracket	Mount Bracket Female/ANSI for Multi directional+PTZ camera (Black)	€ 190,00
WV-QSR508F1-W	Accessory	Bracket	Mount Bracket Female/ANSI for Multi directional+PTZ camera (i-PRO white)	€ 190,00

WV-QSR508F-B	Accessory	Bracket	Mount Bracket Female/ISO for Multi directional+PTZ camera (Black)	€ 190,00
WV-QSR508F-W	Accessory	Bracket	Mount Bracket Female/ISO for Multi directional+PTZ camera (i-PRO white)	€ 190,00
WV-QSR508M1-B	Accessory	Bracket	Mount Bracket Male/ANSI for Multi directional+PTZ camera (Black)	€ 190,00
WV-QSR508M1-W	Accessory	Bracket	Mount Bracket Male/ANSI for Multi directional+PTZ camera (i-PRO white)	€ 190,00
WV-QSR508M-B	Accessory	Bracket	Mount Bracket Male/ISO for Multi directional+PTZ camera (Black)	€ 190,00
WV-QSR508M-W	Accessory	Bracket	Mount Bracket Male/ISO for Multi directional+PTZ camera (i-PRO white)	€ 190,00
WV-QSR508-W	Accessory	Bracket	Mount Bracket for rapid PTZ camera	€ 190,00
WV-QWD100C-W	Accessory	Bracket	Wall Mount Bracket Clear Dome (i-PRO white) For WV-S61301-Z2, U61301-Z2 and U61301-Z1	€ 360,00
WV-QWD100G-W	Accessory	Bracket	Wall Mount Bracket Smoke Dome (i-PRO white) For WV-S61301-Z2, U61301-Z2 and U61301-Z1	€ 360,00
WV-QWL100-W	Accessory	Bracket	Wall Mount Bracket (i-PRO white)for WV-S61302-Z4, WV-S6131 and WV-S6111	€ 250,00
WV-QWL500-B	Accessory	Bracket	Wall Mount Bracket (black) for WV-X41/S41xx series, WV-X25/X22xx series, WV-S22/21xx series, WV-S31xx series and WV-U25/21xx series in combination with WV-QJB500-W as Pole Mount in combination with WV-QJB500-W and WV-QPL500-W as Corner Mount in combination with WV-QCN500-W (and WV-QJB500-W)	€ 80,00
WV-QWL500-G	Accessory	Bracket	Wall Mount Bracket (GREY) for WV-X45/S45xx series, WV-S25xx series and WV-S35xx series in combination with WV-QJB500-G as Pole Mount in combination with WV-QJB500-G and WV-Q182 as Corner Mount in combination with WV-Q183 (and WV-QJB500-G).	€ 80,00
WV-QWL500-W	Accessory	Bracket	Wall Mount Bracket (white) for WV-X41/S41xx series, WV-X25/X22xx series, WV-S22/21xx series, WV-S31xx series and WV-U25/21xx series in combination with WV-QJB500-W as Pole Mount in combination with WV-QJB500-W and WV-QPL500-W as Corner Mount in combination with WV-QCN500-W (and WV-QJB500-W)	€ 80,00
WV-QWL501-B	Accessory	Bracket	Wall Hanging Mount (black) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras in combination with WV-QSR501-W	€ 145,00
WV-QWL501S-W	Accessory	Bracket	Wall Mount Bracket (i-PRO white) -salt damage resistance	€ 490,00
WV-QWL501-W	Accessory	Bracket	Wall Hanging Mount (white) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras in combination with WV-QSR501-W	€ 145,00
WV-QWL502-W	Accessory	Bracket	Wall mount bracket for rapid PTZ camera	€ 250,00
WV-S1136A	Camera	Box	The WV-S1136A S-Series Indoor Box Network Cameras, 2MP(1080p)@60fps, CSMount (Lens is not included), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 510,00
WV-S1536LA	Camera	Bullet	The WV-S1536LA S-Series Outdoor Bullet Network Cameras, 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 800,00
WV-S1536LA-B	Camera	Bullet	The WV-S1536LA-B S-Series Outdoor Bullet Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Black model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 800,00
WV-S1536LNA	Camera	Bullet	The WV-S1536LNA S-Series Outdoor Bullet Network Cameras, 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Clearlight Coating, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 950,00
WV-S1536LNA-B	Camera	Bullet	The WV-S1536LNA-B S-Series Outdoor Bullet Network Cameras, 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Clearlight Coating, Black model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 950,00
WV-S1536LNSA	Camera	Bullet	The WV-S1536LNSA S-Series Outdoor Bullet Network Cameras, 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), Clearlight Coating, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.000,00
WV-S1536LTA	Camera	Bullet	The WV-S1536LTA S-Series Outdoor Bullet Network Cameras, 2MP(1080p)@60fps, f=9 to 21mm,F1.7 Motorized, 2.3x, H:15 to 36deg.V:9 to 20deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.050,00

WV-S1536LTNA	Camera	Bullet	The WV-S1536LTNA S-Series Outdoor Bullet Network Cameras, 2MP(1080p)@60fps, f=9 to 21mm,F1.7 Motorized, 2.3x, H:15 to 36deg.V:9 to 20deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Clearlight Coating, i-PRO white model, -40 °C to +60 °C , -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.260,00
WV-S15500-F3L	Camera	Bullet	New High Resolution S-Series Outdoor Bullet Network Camera with AI engine 5MP @30fps, f= 3.2 mm, F2.0, H:98 deg.V:53 deg., IR(35m/115ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, micro SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C , -40°F to +140°F, Secure communication, Easy Kitting	€ 880,00
WV-S15500-F6L	Camera	Bullet	New High Resolution S-Series Outdoor Bullet Network Camera with AI engine 5MP @30fps, f= 6.9 mm, F2.0, H:98 deg.V:53 deg., IR(35m/115ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, micro SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C , -40°F to +140°F, Secure communication, Easy Kitting	€ 880,00
WV-S15500-V3L	Camera	Bullet	The WV-S15500-V3L S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.000,00
WV-S15500-V3LK	Camera	Bullet	The WV-S15500-V3LK S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,ISO14993(Heavy Salt Damage Resistance),-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.300,00
WV-S15500-V3LN	Camera	Bullet	The WV-S15500-V3LN S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearlight Coating,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.280,00
WV-S15500-V3LN1	Camera	Bullet	The WV-S15500-V3LN1 S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearlight Coating,Black model,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.280,00
WV-S15600-V2L	Camera	Bullet	The WV-S15600-V2L S-Series Outdoor Bullet Network Cameras 6MP@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:29 to 55deg.(TBD),IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.240,00
WV-S15600-V2LN	Camera	Bullet	The WV-S15600-V2LN S-Series Outdoor Bullet Network Cameras 6MP@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:29 to 55deg.(TBD),IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearlight Coating,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.400,00
WV-S15700-V2L	Camera	Bullet	The WV-S15700-V2L S-Series Outdoor Bullet Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:30 to 56deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.200,00
WV-S15700-V2LK	Camera	Bullet	The WV-S15700-V2LK S-Series Outdoor Bullet Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:30 to 56deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,ISO14993(Heavy Salt Damage Resistance),-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.600,00
WV-S15700-V2LN	Camera	Bullet	The WV-S15700-V2LN S-Series Outdoor Bullet Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:30 to 56deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearlight Coating,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.580,00

WV-S2136A	Camera	Dome	The WV-S2136A S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, (Option)Smoke Dome, i-PRO white model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 600,00
WV-S2136A-B	Camera	Dome	The WV-S2136A-B S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Black model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 600,00
WV-S2136GA	Camera	Dome	The WV-S2136GA S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Smoke Dome, i-PRO white model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 600,00
WV-S2136GA-B	Camera	Dome	The WV-S2136GA-B S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Smoke Dome, Black model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 600,00
WV-S2136LA	Camera	Dome	The WV-S2136LA S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, (Option)Smoke Dome, i-PRO white model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2136LA-B	Camera	Dome	The WV-S2136LA-B S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Black model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2136LGA	Camera	Dome	The WV-S2136LGA S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Smoke Dome, i-PRO white model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2136LGA-B	Camera	Dome	The WV-S2136LGA-B S-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Smoke Dome, Black model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2236LA	Camera	Dome	The WV-S2236LA S-Series Indoor Vandal Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, IK10, (Option)Smoke Dome, i-PRO white model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2236LA-B	Camera	Dome	The WV-S2236LA-B S-Series Indoor Vandal Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, IK10, (Option)Smoke Dome, Black model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2236LGA	Camera	Dome	The WV-S2236LGA S-Series Indoor Vandal Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, IK10, Smoke Dome, i-PRO white model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S2236LGA-B	Camera	Dome	The WV-S2236LGA-B S-Series Indoor Vandal Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, IK10, Smoke Dome, Black model, -10 °C to +50 °C , +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 760,00
WV-S22500-F3L	Camera	Dome	The WV-S22500-F3L S-Series Indoor Vandal Dome Network Cameras 5MP@30fps,f= 3.2 mm, F2.0,H:95deg.V:52deg.,IR(25m/82ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,-10 °C to +50 °C , -14°F to +122°F,Secure communication,Easy Kitting	€ 680,00

WV-S22500-F6L	Camera	Dome	The WV-S22500-F3L S-Series Indoor Vandal Dome Network Cameras 5MP@30fps,f= 3.2 mm, F2.0,H:95deg,V:52deg.,IR(25m/82ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,-10 °C to +50 °C,-14°F to +122°F,Secure communication,Easy Kitting	€ 680,00
WV-S22500-V3L	Camera	Dome	The WV-S22500-V3L S-Series Indoor Vandal Dome Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg,V:19 to 55deg.,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 950,00
WV-S22500-V3L1	Camera	Dome	The WV-S22500-V3L1 S-Series Indoor Vandal Dome Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg,V:19 to 55deg.,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,Black model,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.120,00
WV-S22500-V3LG	Camera	Dome	The WV-S22500-V3LG S-Series Indoor Vandal Dome Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg,V:19 to 55deg.,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10, Smoke Dome ,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.120,00
WV-S22600-V2L	Camera	Dome	The WV-S22600-V2L S-Series Indoor Vandal Dome Network Cameras 6MP@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg,V:29 to 55deg.,IR(150m/164ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.180,00
WV-S22600-V2LG	Camera	Dome	The WV-S22600-V2LG S-Series Indoor Vandal Dome Network Cameras 6MP@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg,V:29 to 55deg.,IR(150m/164ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10, Smoke Dome ,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.180,00
WV-S22700-V2L	Camera	Dome	The WV-S22700-V2L S-Series Indoor Vandal Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg,V:29 to 55deg.,IR(150m/164ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.140,00
WV-S22700-V2L1	Camera	Dome	The WV-S22700-V2L1 S-Series Indoor Vandal Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg,V:29 to 55deg.,IR(150m/164ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,Black model,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.300,00
WV-S22700-V2LG	Camera	Dome	The WV-S22700-V2LG S-Series Indoor Vandal Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg,V:29 to 55deg.,IR(150m/164ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10, Smoke Dome ,-40 °C to +50 °C,-40°F to +122°F,Secure communication	€ 1.300,00
WV-S2536LA	Camera	Dome	The WV-S2536LA S-Series Outdoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, 50J,IK10, IP66/NEMA 4X, (Option)Clearsight Coating, (Option)Smoke Dome, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 800,00
WV-S2536LGA	Camera	Dome	The WV-S2536LGA S-Series Outdoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, 50J,IK10, IP66/NEMA 4X, (Option)Clearsight Coating, Smoke Dome, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 800,00
WV-S2536LGNA	Camera	Dome	The WV-S2536LGNA S-Series Outdoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, 50J,IK10, IP66/NEMA 4X, Clearsight Coating, Smoke Dome, i-PRO white model, -40 °C to +60 °C, -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 860,00

WV-S2536LNA	Camera	Dome	The WV-S2536LNA S-Series Outdoor Dome Network Cameras 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, ClearSight Coating, (Option)Smoke Dome, i-PRO white model, -40 °C to +60 °C , -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 860,00
WV-S2536LTA	Camera	Dome	The WV-S2536LTA S-Series Outdoor Dome Network Cameras 2MP(1080p)@60fps, f=9 to 21mm, F1.7 Motorized, 2.3x, H:15 to 36deg.V:9 to 20deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, (Option)Smoke Dome, i-PRO white model, -40 °C to +60 °C , -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 925,00
WV-S2536LTNA	Camera	Dome	The WV-S2536LTNA S-Series Outdoor Dome Network Cameras, 2MP(1080p)@60fps, f=9 to 21mm, F1.7 Motorized, 2.3x, H:15 to 36deg.V:9 to 20deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, ClearSight Coating, (Option)Smoke Dome, i-PRO white model, -40 °C to +60 °C , -40°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.050,00
WV-S25500-F3L	Camera	Dome	The WV-S25500-F3L S-Series Outdoor Dome Network Cameras 5MP@30fps, f= 3.2 mm, F2.0, H:95deg.V:52deg., IR(35m/115ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, -40 °C to +60 °C , -40°F to +140°F, Secure communication, Easy Kitting	€ 780,00
WV-S25500-F6L	Camera	Dome	The WV-S25500-F6L S-Series Outdoor Dome Network Cameras 5MP@30fps, f= 6.1 mm, F1.6, H:48deg.V:27deg., IR(45m/148ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, -40 °C to +60 °C , -40°F to +140°F, Secure communication, Easy Kitting	€ 780,00
WV-S25500-V3L	Camera	Dome	The WV-S25500-V3L S-Series Outdoor Dome Network Cameras 5MP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(55m/180ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.000,00
WV-S25500-V3LG	Camera	Dome	The WV-S25500-V3LG S-Series Outdoor Dome Network Cameras 5MP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(55m/180ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Smoke Dome , -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.190,00
WV-S25500-V3LN	Camera	Dome	The WV-S25500-V3LN S-Series Outdoor Dome Network Cameras 5MP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(55m/180ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ClearSight Coating, -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.360,00
WV-S25500-V3LN1	Camera	Dome	The WV-S25500-V3LN1 S-Series Outdoor Dome Network Cameras SMP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(55m/180ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ClearSight Coating, Black model, -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.360,00
WV-S25600-V2L	Camera	Dome	The WV-S25600-V2L S-Series Outdoor Dome Network Cameras 6MP@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(70m/230ft), H.265/H.264/JPEG, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.250,00
WV-S25600-V2LG	Camera	Dome	The WV-S25600-V2LG S-Series Outdoor Dome Network Cameras 6MP@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Smoke Dome , -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.250,00
WV-S25600-V2LN	Camera	Dome	The WV-S25600-V2LN S-Series Outdoor Dome Network Cameras 6MP@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ClearSight Coating, -40 °C to +60 °C , -40°F to +140°F, Secure communication	€ 1.420,00

WV-S25700-V2L	Camera	Dome	The WV-S25700-V2L S-Series Outdoor Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.200,00
WV-S25700-V2LG	Camera	Dome	The WV-S25700-V2LG S-Series Outdoor Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X, Smoke Dome ,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.400,00
WV-S25700-V2LN	Camera	Dome	The WV-S25700-V2LN S-Series Outdoor Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.600,00
WV-S25700-V2LN1	Camera	Dome	The WV-S25700-V2LN1 S-Series Outdoor Dome Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,Black model,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.600,00
WV-S32302-F2L	Camera	Compact dome	The WV-S32302-F2L S-Series Indoor Compact Dome Network Cameras2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, , i-PRO white model, -30 °C to +60 °C, -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3	€ 375,00
WV-S32302-F2L1	Camera	Compact dome	The WV-S32302-F2L1 S-Series Indoor Compact Dome Network Cameras2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, , black model, -30 °C to +60 °C, -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3	€ 375,00
WV-S32302-F2LG	Camera	Compact dome	The WV-S32302-F2LG S-Series Indoor Compact Dome Network Cameras2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, , i-PRO white model, 0 °C to +40 °C, 32 °F to 104 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3	€ 375,00
WV-S32402-F2L	Camera	Compact dome	The S-Series Indoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications	€ 475,00
WV-S32402-F2L1	Camera	Compact dome	The S-Series Indoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO black model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications	€ 475,00
WV-S32402-F2LG	Camera	Compact dome	The S-Series Indoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications	€ 475,00
WV-S35302-F2L	Camera	Compact dome	The WV-S35302-F2L S-Series Outdoor Compact Dome Network Cameras2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, IP66/NEMA 4X, , i-PRO white model, -30 °C to +60 °C, -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 500,00
WV-S35302-F2L1	Camera	Compact dome	The WV-S35302-F2L1 S-Series Outdoor Compact Dome Network Cameras2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, IP66/NEMA 4X, , black model, -30 °C to +60 °C, -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3	€ 500,00
WV-S35302-F2LG	Camera	Compact dome	The WV-S35302-F2LG S-Series Outdoor Compact Dome Network Cameras2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, IP66/NEMA 4X, , i-PRO white model, -40°C to +50 °C, -22°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3	€ 500,00
WV-S35402-F2L	Camera	Compact dome	The S-Series Outdoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, -40°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications	€ 575,00
WV-S35402-F2L1	Camera	Compact dome	The S-Series Outdoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, -40°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications	€ 575,00

WV-S35402-F2LG	Camera	Compact dome	The S-Series Outdoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, -40°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications	€ 575,00
WV-S4156A	Camera	360-degree Fisheye	The WV-S4156A S-Series Indoor 360-degree Fisheye Network Cameras 5MP Sensor@30fps, f=0.84mm,F2.4, H:186deg.V:186deg., H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, SDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, 14 °F to 122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 740,00
WV-S4176A	Camera	360-degree Fisheye	The WV-S4176A S-Series Indoor 360-degree Fisheye Network Cameras 12MP Sensor@30fps, f=1.4mm,F1.9, H:183deg.V:183deg., H.265/H.264/JPEG, Smart Coding, WDR[84dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, SDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, 14 °F to 122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.300,00
WV-S4556LA	Camera	360-degree Fisheye	The WV-S4556LA S-Series Outdoor 360-degree Fisheye Network Cameras 5MP Sensor@30fps, f=0.84mm,F2.4, H:186deg.V:186deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, SDXC, 12VDC/PoE, 50J,IK10, IP66/Type 4X/NEMA 4X, EN50155-TX, i-PRO white model, -40 °C to +60 °C, -40 °F to 140 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.000,00
WV-S4556LMA	Camera	360-degree Fisheye	The WV-S4556LMA S-Series Onboard 360-degree Fisheye Network Cameras 5MP Sensor@30fps, f=0.84mm,F2.4, H:186deg.V:186deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in microphone, SDXC, 12VDC/PoE, 50J,IK10, IP66/Type 4X/NEMA 4X, EN45545/EN50155-TX, i-PRO white model, -40 °C to +60 °C, -40 °F to 140 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.400,00
WV-S4576LA	Camera	360-degree Fisheye	The WV-S4576LA S-Series Outdoor 360-degree Fisheye Network Cameras 12MP Sensor@30fps, f=1.4mm,F1.9, H:183deg.V:183deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[84dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, SDXC, 12VDC/PoE, 50J,IK10, IP66/Type 4X/NEMA 4X, EN50155-TX, i-PRO white model, -40 °C to +60 °C, -40 °F to 140 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.560,00
WV-S4576LMA	Camera	360-degree Fisheye	The WV-S4576LMA S-Series Onboard 360-degree Fisheye Network Cameras 12MP Sensor@30fps, f=1.4mm,F1.9, H:183deg.V:183deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[84dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Built-in microphone, SDXC, 12VDC/PoE, 50J,IK10, IP66/Type 4X/NEMA 4X, EN45545/EN50155-TX, i-PRO white model, -40 °C to +60 °C, -40 °F to 140 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.100,00
WV-S61300-ZY	Camera	PTZ	The WV-S61300-ZY S-Series Indoor PTZ Network Cameras2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.023,00
WV-S61300-ZYG	Camera	PTZ	The WV-S61300-ZYG S-Series Indoor PTZ Network Cameras2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, Smoke Dome, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.023,00
WV-S61301-Z1	Camera	PTZ	The WV-S61301-Z1 S-Series Indoor PTZ Network Cameras2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.278,00
WV-S61301-Z2	Camera	PTZ	New S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps,f=4.0 mm to 84.6 mm, F1.6 Motorized,21x,H:3.7 to 77deg.V:2.2 to 44deg.,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,Image Stabilization,microSDXC,12VDC/PoE,i-PRO white model,-10 °C to +50 °C,+14°F to +122°F,Digital Certificates by GlobalSign,FIPS 140-2 Level3,Easy Kitting	€ 1.867,00
WV-S61302-Z4	Camera	PTZ	New S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps,f=4.25 mm to 170 mm, F1.6 Motorized,40x,H:2.1 to 65deg.V:1.2 to 39deg.,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,Image Stabilization,microSDXC,12VDC/PoE,i-PRO white model,-10 °C to +50 °C,+14°F to +122°F,Digital Certificates by GlobalSign,FIPS 140-2 Level3,Easy Kitting	€ 3.000,00
WV-S61501-Z1	Camera	PTZ	The WV-S61501-Z1 S-Series Indoor PTZ Network Cameras 5MP@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 10x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.945,00

WV-S65300-ZY	Camera	PTZ	The WV-S65300-ZY S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.167,00
WV-S65300-ZYG	Camera	PTZ	The WV-S65300-ZYG S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Smoke Dome, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.167,00
WV-S65301-Z1	Camera	PTZ	The WV-S65301-Z1 S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.500,00
WV-S65301-Z1-1	Camera	PTZ	The WV-S65301-Z1-1 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, i-PRO black model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.500,00
WV-S65301-Z1G	Camera	PTZ	The WV-S65301-Z1G S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, Smoke Dome, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.500,00
WV-S65301-Z1S	Camera	PTZ	The WV-S65301-Z1S S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), Clearsight Coating, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.500,00
WV-S65302-Z2	Camera	PTZ	The WV-S65302-Z2 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.4 to 73deg.V:2.0 to 42deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.089,00
WV-S65302-Z2-1	Camera	PTZ	The WV-S65302-Z2-1 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.4 to 73deg.V:2.0 to 42deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, black color model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.089,00
WV-S65302-Z2G	Camera	PTZ	The WV-S65302-Z2G S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.4 to 73deg.V:2.0 to 42deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, Smoke Dome, i-PRO white model, -30 °C to +55 °C , -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.089,00
WV-S6532LN	Camera	PTZ	S-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 95mm, F1.6 Motorized, x22, H:3.4 to 66deg.V:2.0 to 39deg., IR(100m/330ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color Night Vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Defroster, Image Stabilization, SDXC, 24VAC/PoE+/PoEi njector, IK10, IP66/NEMA 4X, Clearsight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 2.900,00
WV-S6532LNS	Camera	PTZ	S-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 95mm, F1.6 Motorized, x22, H:3.4 to 66deg.V:2.0 to 39deg., IR(100m/330ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color Night Vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), Clearsight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 3.550,00
WV-S65340-Z2	Camera	PTZ	The WV-S65340-Z2G S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650,00

WV-S65340-Z2G	Camera	PTZ	The WV-S65340-Z2G S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, Smoke Dome, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650,00
WV-S65340-Z2K	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450,00
WV-S65340-Z2N	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650,00
WV-S65340-Z2N1	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, black color model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650,00
WV-S65340-Z4	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450,00
WV-S65340-Z4G	Camera	PTZ	The WV-S65340-Z4G S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, Smoke Dome, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450,00
WV-S65340-Z4K	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.400,00
WV-S65340-Z4N	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450,00
WV-S65340-Z4N1	Camera	PTZ	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, black color model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450,00
WV-S65501-Z1	Camera	PTZ	The WV-S65501-Z1 S-Series Outdoor PTZ Network Cameras 5MP@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, microSDXC, 12VDC/PoE+, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.223,00
WV-S65501-Z1G	Camera	PTZ	The WV-S65501-Z1G S-Series Outdoor PTZ Network Cameras 5MP@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, microSDXC, 12VDC/PoE+, Smoke Dome, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.223,00

WV-S66300-Z3	Camera	PTZ	The WV-S66300-Z3 S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.000,00
WV-S66300-Z3L	Camera	PTZ	The WV-S66300-Z3L S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., IR(250m/820ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.250,00
WV-S66300-Z3LN	Camera	PTZ	The WV-S66300-Z3L S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., IR(250m/820ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.400,00
WV-S66300-Z3N	Camera	PTZ	The WV-S66300-Z3 S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.150,00
WV-S66300-Z4	Camera	PTZ	The WV-S66300-Z4 S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450,00
WV-S66300-Z4L	Camera	PTZ	The WV-S66300-Z4L S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., IR(250m/820ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.700,00
WV-S66300-Z4LN	Camera	PTZ	The WV-S66300-Z4L S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., IR(250m/820ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.850,00
WV-S66300-Z4N	Camera	PTZ	The WV-S66300-Z4 S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.600,00
WV-S66600-Z3	Camera	PTZ	The WV-S66600-Z3 S-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.700,00
WV-S66600-Z3L	Camera	PTZ	The WV-S66600-Z3L S-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.950,00
WV-S66600-Z3LN	Camera	PTZ	The WV-S66600-Z3L S-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.100,00
WV-S66600-Z3N	Camera	PTZ	The WV-S66600-Z3 S-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.850,00
WV-S66700-Z3	Camera	PTZ	The WV-S66700-Z3 S-Series Outdoor PTZ Network Cameras4K@30fps, f= 4.5 to 135 mm, 30x, H: 2.5 to 62deg, V: 1.4 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.200,00

WV-S66700-Z3L	Camera	PTZ	The WV-S66700-Z3L S-Series Outdoor PTZ Network Cameras4K@30fps, f= 4.5 to 135 mm, 30x, H: 2.5 to 62deg, V: 1.4 to 37deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.550,00
WV-S66700-Z3LN	Camera	PTZ	The WV-S66700-Z3L S-Series Outdoor PTZ Network Cameras4K@30fps, f= 4.5 to 135 mm, 30x, H: 2.5 to 62deg, V: 1.4 to 37deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.700,00
WV-S66700-Z3N	Camera	PTZ	The WV-S66700-Z3 S-Series Outdoor PTZ Network Cameras4K@30fps, f= 4.5 to 135 mm, 30x, H: 2.5 to 62deg, V: 1.4 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.350,00
WV-S71300A-F3	Camera	i-PRO MINI	The WV-S71300A-F3 S-Series Indoor mini Box Network Cameras 2MP(1080p)@30fps, f=3.2mm, H:81.1deg.V:51.4deg., H.265/H.264/JPEG, Smart Coding, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 5VDC/PoE, IP44, i-PRO white model, -10 °C to +40 °C , +14°F to +104°F, Digital Certificates by GlobalSign	€ 900,00
WV-S85402-V2L	Camera	Multi-Sensor	The WV-S85402-V2L S-Series Outdoor Multi-directional Network Cameras: 2 x 4MP(2688x1520)@30fps, 2.9-7.3mm(2.5x) Motorized, 2.5x, H:43-100 deg. V: 24-56 deg, IR(40m) , H.265/H.264/JPEG, Smart Coding, WDR[108dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.700,00
WV-S85402-V2L1	Camera	Multi-Sensor	The WV-S85402-V2L1 S-Series Outdoor Multi-directional Network Cameras: 2 x 4MP(2688x1520)@30fps, 2.9-7.3mm(2.5x) Motorized, 2.5x, H:43-100 deg. V: 24-56 deg, IR(40m) , H.265/H.264/JPEG, Smart Coding, WDR[108dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.700,00
WV-S8543	Camera	Multi-Sensor	The WV-S8543 S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 1.970,00
WV-S8543G	Camera	Multi-Sensor	The WV-S8543G S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome , -40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 1.970,00
WV-S8543L	Camera	Multi-Sensor	The WV-S8543L S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,IR(20m/66ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.120,00
WV-S8543LG	Camera	Multi-Sensor	The WV-S8543LG S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,IR(15m/49ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome , -40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.120,00
WV-S8544	Camera	Multi-Sensor	The WV-S8544 S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.200,00
WV-S8544G	Camera	Multi-Sensor	The WV-S8544G S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome , -40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.200,00

WV-S8544L	Camera	Multi-Sensor	The WV-S8544L S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,IR(20m/66ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.400,00
WV-S8544LG	Camera	Multi-Sensor	The WV-S8544LG S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,IR(15m/49ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome ,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.400,00
WV-S8563L	Camera	Multi-Sensor	The WV-S8563L S-Series Outdoor Multi-Sensor Network Cameras 3 x 6MP(19MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:170deg,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.550,00
WV-S8563LG	Camera	Multi-Sensor	The WV-S8563LG S-Series Outdoor Multi-Sensor Network Cameras 3 x 6MP(19MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:170deg,IR(30m/99ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome ,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.550,00
WV-S8564L	Camera	Multi-Sensor	The WV-S8564L S-Series Outdoor Multi-Sensor Network Cameras 4 x 6MP(25MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:180deg,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.780,00
WV-S8564LG	Camera	Multi-Sensor	The WV-S8564LG S-Series Outdoor Multi-Sensor Network Cameras 4 x 6MP(25MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:180deg,IR(30m/99ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome ,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.780,00
WV-S85702-F3L	Camera	Multi-Sensor	The WV-S85702-F3L S-Series Outdoor Multi-directional Network Cameras: 2 x 4K(3840x2160)@15fps, 3.1mm, 1x, H:104deg. V:56deg., IR(40m), H.265/H.264/JPEG, Smart Coding, WDR[120dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.000,00
WV-S85702-F3L1	Camera	Multi-Sensor	The WV-S85702-F3L1 S-Series Outdoor Multi-directional Network Cameras: 2 x 4K(3840x2160)@15fps, 3.1mm, 1x, H:104deg. V:56deg., IR(40m), H.265/H.264/JPEG, Smart Coding, WDR[120dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.000,00
WV-S8573L	Camera	Multi-Sensor	The WV-S8573L S-Series Outdoor Multi-Sensor Network Cameras 3 x 4K(25MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:170deg,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.740,00
WV-S8573LG	Camera	Multi-Sensor	The WV-S8573LG S-Series Outdoor Multi-Sensor Network Cameras 3 x 4K(25MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:170deg,IR(30m/99ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome ,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 2.740,00
WV-S8574L	Camera	Multi-Sensor	The WV-S8574L S-Series Outdoor Multi-Sensor Network Cameras 4 x 4K(33MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:180deg,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 3.000,00

WV-S8574LG	Camera	Multi-Sensor	The WV-S8574LG S-Series Outdoor Multi-Sensor Network Cameras 4 x 4K(33MP)@15fps,f=3.1 mm, F1.44,H:108deg,V:56deg(Panorama mode) H:180deg., IR(30m/99ft),H.265/H.264/JPEG, Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,IK10,IP67/IP66/NEMA 4X, Smoke Dome , -40 °C to +60 °C , -40°F to +140°F,Secure communication	€ 3.000,00
WV-SDA032G	Accessory	SD card	Standard size SD card (A-model) 32GB	€ 69,00
WV-SDA064G	Accessory	SD card	Standard size SD card (A-model) 64GB	€ 105,00
WV-SDA128G	Accessory	SD card	Standard size SD card (A-model) 128GB	€ 170,00
WV-SDA256G	Accessory	SD card	Standard size SD card (A-model) 256GB	€ 310,00
WV-SDA512G	Accessory	SD card	Standard size SD card (A-model) 512GB	€ 560,00
WV-SDB032G	Accessory	SD card	Micro size SD card (B-model) 32GB	€ 63,00
WV-SDB064G	Accessory	SD card	Micro size SD card (B-model) 64GB	€ 97,00
WV-SDB128G	Accessory	SD card	Micro size SD card (B-model) 128GB	€ 165,00
WV-SDB256G	Accessory	SD card	Micro size SD card (B-model) 256GB	€ 300,00
WV-SUD638	Camera	PTZ	Aero-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.3 to 129mm, F1.6 Motorized, x30, H:2.3 to 64deg.V:1.3 to 38deg., Optional IR LED, H.264/JPEG, Smart Coding, WDR[105dB], True D/N, HLC, Fog Detection, Onvif S, Built-in wiper, Defroster, High-class Image Stabilization, 100 to 240VAC/PoE Injector, IK10, IP67/IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), -50 °C to +60 °C, Secure communication	€ 6.800,00
WV-SUD638-H	Camera	PTZ	Aero-Series Outdoor PTZ Network Camera (grey) 2MP(1080p)@60fps, f=4.3 to 129mm, F1.6 Motorized, x30, H:2.3 to 64deg.V:1.3 to 38deg., Optional IR LED, H.264/JPEG, Smart Coding, WDR[105dB], True D/N, HLC, Fog Detection, Onvif S, Built-in wiper, Defroster, High-class Image Stabilization, 100 to 240VAC/PoE Injector, IK10, IP67/IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), -50 °C to +60 °C, Secure communication	€ 6.800,00
WV-SUD638-T	Camera	PTZ	Aero-Series Outdoor PTZ Network Camera (brown) 2MP(1080p)@60fps, f=4.3 to 129mm, F1.6 Motorized, x30, H:2.3 to 64deg.V:1.3 to 38deg., Optional IR LED, H.264/JPEG, Smart Coding, WDR[105dB], True D/N, HLC, Fog Detection, Onvif S, Built-in wiper, Defroster, High-class Image Stabilization, 100 to 240VAC/PoE Injector, IK10, IP67/IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), -50 °C to +60 °C, Secure communication	€ 6.800,00
WV-SUD6FRL1	Accessory	IR LED Unit	IR-LED Accessory for WV-SUD638 - coverage up to 150m	€ 1.050,00
WV-SUD6FRL-H	Accessory	IR LED Unit	IR-LED Accessory for WV-SUD638 - coverage up to 150m (Grey)	€ 1.050,00
WV-SUD6FRL-T	Accessory	IR LED Unit	IR-LED Accessory for WV-SUD638 - coverage up to 150m (brown)	€ 1.050,00
WV-U1130A	Camera	Box	U-Series Indoor Box Network Camera 2MP(1080p)@30fps, f=3.2mm, F2.0, H:102deg.V:55deg., H.265/JPEG, Smart Coding, WDR[120dB], True D/N, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1130	€ 230,00
WV-U1132A	Camera	Box	U-Series Indoor Box Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 102deg.V:24 to 56deg., H.265/JPEG, Smart Coding, WDR[120dB], True D/N, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1132	€ 320,00
WV-U1142A	Camera	Box	U-Series Indoor Box Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 103deg.V:25 to 57deg., H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1142	€ 340,00
WV-U1532LA	Camera	Bullet	U-Series Outdoor Bullet Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 102deg.V:24 to 56deg., IR(30m/98ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1532L	€ 400,00
WV-U1542LA	Camera	Bullet	U-Series Outdoor Bullet Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 103deg.V:25 to 57deg., IR(20m/69ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1542L	€ 500,00
WV-U2130LA	Camera	Dome	U-Series Indoor Dome Network Camera 2MP(1080p)@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2130L	€ 250,00
WV-U2132LA	Camera	Dome	U-Series Indoor Dome Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:43 to 100deg.V:24 to 56deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2132L	€ 350,00
WV-U2140LA	Camera	Dome	U-Series Indoor Dome Network Camera 4MP@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2140L	€ 290,00
WV-U2142LA	Camera	Dome	U-Series Indoor Dome Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 102deg.V:25 to 57deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2142L	€ 450,00

WV-U2530LA	Camera	Dome	U-Series Outdoor Dome Network Camera 2MP(1080p)@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2530L	€ 290,00
WV-U2532LA	Camera	Dome	U-Series Outdoor Dome Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:43 to 100deg.V:24 to 55deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2532L	€ 400,00
WV-U2540LA	Camera	Dome	U-Series Outdoor Dome Network Camera 4MP@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2540L	€ 326,00
WV-U2542LA	Camera	Dome	U-Series Outdoor Dome Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:43 to 100deg.V:24 to 56deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U2542L	€ 500,00
WV-U31301-F2L	Camera	Compact dome	The U-Series Indoor Compact Dome Network Cameras 2MP(1080p)@30fps, 2.4mm, 1x, H:92 to 123deg.V:69deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 325,00
WV-U31301-F2LG	Camera	Compact dome	The U-Series Indoor Compact Dome Network Cameras 2MP(1080p)@30fps, 2.4mm, 1x, H:92 to 123deg.V:69deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 325,00
WV-U31401-F2L	Camera	Compact dome	The U-Series Indoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, H:123 to 128deg.V:71 to 92deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[102dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 375,00
WV-U31401-F2LG	Camera	Compact dome	The U-Series Indoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, H:123 to 128deg.V:71 to 92deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[102dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, 0°C to +40 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 375,00
WV-U35301-F2L	Camera	Compact dome	The U-Series Outdoor Compact Dome Network Cameras 2MP(1080p)@30fps, 2.4mm, 1x, H:92 to 123deg.V:69deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, IK10, IP66, i-PRO white model, -30°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 375,00
WV-U35301-F2LG	Camera	Compact dome	The U-Series Outdoor Compact Dome Network Cameras 2MP(1080p)@30fps, 2.4mm, 1x, H:92 to 123deg.V:69deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, IK10, IP66, i-PRO white model, -30°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 375,00
WV-U35401-F2L	Camera	Compact dome	The U-Series Outdoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, H:123 to 128deg.V:71 to 92deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[102dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, IK10, IP66, i-PRO white model, -30°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 430,00
WV-U35401-F2LG	Camera	Compact dome	The U-Series Outdoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, H:123 to 128deg.V:71 to 92deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[102dB], Onvif G,S,T, microSDXC/microSDHC/microSD, PoE, IK10, IP66, i-PRO white model, -30°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting	€ 430,00
WV-U61300-ZY	Camera	PTZ	U-Series Indoor PTZ Network Cameras 2MP(1080p) @60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, -10 °C to +50 °C, +14°F to +122°F, Secure communication, Easy Kitting	€ 920,00
WV-U61300-ZYG	Camera	PTZ	U-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, Smoke Dome , -10 °C to +50 °C, +14°F to +122°F, Secure communication, Easy Kitting	€ 920,00
WV-U61301-Z1	Camera	PTZ	U-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, x10, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE, -10 °C to +50 °C, +14°F to +122°F, Secure communication, Easy Kitting	€ 1.040,00
WV-U61301-Z2	Camera	PTZ	U-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, x21, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE, -10 °C to +50 °C, +14°F to +122°F, Secure communication, Easy Kitting	€ 1.190,00

WV-U65300-ZY	Camera	PTZ	The WV-U65300-ZY U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps,f=2.9 mm to 9 mm, F1.3 Motorized,x3.1,H:36 to 115deg.V:20 to 61deg.,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,-,HLC,IA,Fog Detection,Onvif G,S,T,FIPS 140-2 Level3,microSDXC,12VAC/PoE,IK10,IP66/NEMA 4X,-30 °C to +55 °C,-22 °F to +131 °F,Secure communication,Easy Kitting	€ 1.050,00
WV-U65300-ZYG	Camera	PTZ	U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, IK10, IP66/NEMA 4X, Smoke Dome , -30 °C to +55 °C, -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.050,00
WV-U65301-Z1	Camera	PTZ	The WV-U65301-Z1 U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps,f=4.7 mm to 47.0 mm F1.6 Motorized,x10,H:6.7 to 62deg.V:3.8 to 37deg,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,-,HLC,IA,Fog Detection,Onvif G,S,T,FIPS 140-2 Level3,Image Stabilization,microSDXC,12VAC/PoE+,IK10,IP66/NEMA 4X,-30 °C to +55 °C,-22 °F to +131 °F,Secure communication,Easy Kitting	€ 1.250,00
WV-U65301-Z1G	Camera	PTZ	U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, x10, H:6.7 to 62 deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, -, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE+, IK10, IP66/NEMA 4X, Smoke Dome , -30 °C to +55 °C, -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.250,00
WV-U65302-Z2	Camera	PTZ	U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, x21, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE+, IK10, IP66/NEMA 4X, -30 °C to +55 °C, -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.460,00
WV-U65302-Z2G	Camera	PTZ	The WV-U65302-Z2G U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps,f=4.0 mm to 84.6 mm, F1.6 Motorized,x21,H:3.7 to 77deg.V:2.2 to 44deg.,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,-,HLC,IA,Fog Detection,Onvif G,S,T,FIPS 140-2 Level3,Image Stabilization,microSDXC,12VAC/PoE+,IK10,IP66/NEMA 4X, Smoke Dome , -30 °C to +55 °C, -22 °F to +131 °F,Secure communication,Easy Kitting	€ 1.460,00
WV-U85402-V2L	Camera	Multi-Sensor	The WV-U85402-V2L U-Series Outdoor Multi-directional Network Cameras: 2 x 4MP(2688x1520)@30fps, 2.9-7.3mm(2.5x) Motorized, 2.5x, H:43-100 deg. V: 24-56 deg, IR(40m) , H.265/H.264/JPEG, Smart Coding, WDR[108dB], HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.200,00
WV-U85402-V2L1	Camera	Multi-Sensor	The WV-U85402-V2L1 U-Series Outdoor Multi-directional Network Cameras: 2 x 4MP(2688x1520)@30fps, 2.9-7.3mm(2.5x) Motorized, 2.5x, H:43-100 deg. V: 24-56 deg, IR(40m), H.265/H.264/JPEG, Smart Coding, WDR[108dB], HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.200,00
WV-X15300-V3L	Camera	Bullet	The WV-X15300-V3L X-Series Outdoor Bullet Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, Motorized, 3.1x, H:37 to 117deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, IP66/IP67/6K9K, i-PRO white model, -40 °C to +55 °C, FIPS 140-2 Level3	€ 1.250,00
WV-X15300-V3LN	Camera	Bullet	The WV-X15300-V3L X-Series Outdoor Bullet Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, Motorized, 3.1x, H:37 to 117deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, IP66/IP67/6K9K, i-PRO white model, -40 °C to +55 °C, FIPS 140-2 Level3, Clearlight coating	€ 1.400,00
WV-X15500-V3L	Camera	Bullet	The WV-X15500-V3L X-Series Outdoor BOX Network Cameras5MP@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:34 to 106deg.V:19 to 57deg., IR, H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 12VDC/PoE+, IK10, IP67/IP66/Type 4X/NEMA 4X, FCC (Part15 ClassA), ICES-003 Issue 7 ClassA, EN55032 ClassA, EN55035, White(i-PRO) model, -40 °C to +55 °C, -40 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.575,00
WV-X15500-V3LN	Camera	Bullet	The WV-X15500-V3LN X-Series Outdoor BOX Network Cameras5MP@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:34 to 106deg.V:19 to 57deg., IR, H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 12VDC/PoE+, IK10, IP67/IP66/Type 4X/NEMA 4X, FCC (Part15 ClassA), ICES-003 Issue 7 ClassA, EN55032 ClassA, EN55035, Clearlight Coating, White(i-PRO) model, -40 °C to +55 °C, -40 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.725,00
WV-X15600-V2L	Camera	Bullet	The WV-X15600-V2L X-Series Outdoor Bullet Network Cameras 6MP@60fps, f= 4.3 to 8.6 mm, Motorized, 2.0x, H:53 to 104deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, IP66/IP67/6K9K, i-PRO white model, -40 °C to +55 °C, FIPS 140-2 Level3	€ 1.685,00
WV-X15600-V2LN	Camera	Bullet	The WV-X15600-V2L X-Series Outdoor Bullet Network Cameras 6MP@60fps, f= 4.3 to 8.6 mm, Motorized, 2.0x, H:53 to 104deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, IP66/IP67/6K9K, i-PRO white model, -40 °C to +55 °C, FIPS 140-2 Level3, Clearlight coating	€ 1.850,00

WV-X15700-V2L	Camera	Bullet	The WV-X15700-V2L X-Series Outdoor Bullet Network Cameras 4K@60fps, f= 4.3 to 8.6 mm, F1.5 Motorized, 2.0x, H:52 to 101deg.V:29 to 55deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, 12VDC/PoE+, IK10, IP66/IP67/NEMA 4X, EN55032 ClassA,EN55035, i-PRO white model, -40°C to +55 °C, -40 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.850,00
WV-X15700-V2LN	Camera	Bullet	The WV-X15700-V2L X-Series Outdoor Bullet Network Cameras 4K@60fps, f= 4.3 to 8.6 mm, F1.5 Motorized, 2.0x, H:52 to 101deg.V:29 to 55deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, 12VDC/PoE+, IK10, IP66/IP67/NEMA 4X, EN55032 ClassA,EN55035, i-PRO white model, -40°C to +55 °C, -40 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting, ClearSight coating	€ 2.025,00
WV-X22300-V3L	Camera	Dome	The WV-X22300-V3L X-Series Indoor Dome Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, Motorized, 3.1x, H:36 to 114deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, i-PRO white model, FIPS 140-2 Level3	€ 1.200,00
WV-X22500-V3L	Camera	Dome	The WV-X22500-V3L X-Series Indoor Dome Network Cameras 5MP@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:33 to 105deg.V:19 to 56deg., IR, H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 12VDC/PoE+, IK10, FCC (Part15 ClassA), ICES-003 Issue 7 ClassA, EN55032 ClassA, EN55035, White(i-PRO) model, -10 °C to +50 °C, -14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.575,00
WV-X22600-V2L	Camera	Dome	The WV-X22600V2L X-Series Indoor Dome Network Cameras 6MP@60fps, f= 4.3 to 8.6 mm, Motorized, 2.0x, H:52 to 101deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, i-PRO white model, FIPS 140-2 Level3	€ 1.625,00
WV-X22700-V2L	Camera	Dome	The WV-X22700-V2L X-Series Indoor Dome Network Cameras 4K@60fps, f= 4.3 to 8.6 mm, F1.5 Motorized, 2.0x, H:52 to 101deg.V:29 to 55deg., IR(50m/164ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, 12VDC/PoE+, IK10, EN55032 ClassA,EN55035, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.750,00
WV-X25300-V3LN	Camera	Dome	The WV-X25300-V3LN X-Series Outdoor Dome Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, Motorized, 3.1x, H:36 to 113deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, 12VDC/PoE+, IK10, i-PRO white model, FIPS 140-2 Level3, ClearSight coating	€ 1.300,00
WV-X25500-V3LN	Camera	Dome	The WV-X25500-V3LN X-Series Outdoor Dome Network Cameras 5MP@60fps, f=2.9 to 9mm,F1.3 Motorized, 3.1x, H:33 to 103deg.V:19 to 55deg., IR, H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 12VDC/PoE+, 50J,IK10, IP67/IP66/Type 4X/NEMA 4X, FCC (Part15 ClassA), ICES-003 Issue 7 ClassA, EN55032 ClassA, EN55035, ClearSight Coating, White(i-PRO) model, -40 °C to +55 °C, -40 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.800,00
WV-X25580-F2LN2V	Camera	Dome	The WV-X25580-F2LN2V X-Series anti ligature Outdoor Dome Network Cameras 5MP@30fps, f=2.3mm, H:131 deg. V:95deg., IR @940nm, H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, IA, Onvif G,M,S,T, microSDXC, 12VDC/PoE, 70J, IK11+, IP66/IP67/IP69 (IEC 60529)/IP6K9K, Type 4X (UL50E), FIPS 140-2 level3 / Device Certificate GlobalSign pre-installed / Signed firmware / Brute-force protection Special ClearSight Coating, Anti scratch dome cover, stainless steel body, -40 °C to +55 °C, Easy Kitting	€ 1.600,00
WV-X25600-V2LN	Camera	Dome	The WV-25600-V2LN X-Series Outdoor Dome Network Cameras 6MP12VDC/PoE+, IK10, i-PRO white model, FIPS 140-2 Level3, ClearSight coating	€ 1.875,00
WV-X25700-V2LN	Camera	Dome	The WV-X25700-V2LN X-Series Outdoor Dome Network Cameras 4K@60fps, f= 4.3 to 8.6 mm, F1.5 Motorized, 2.0x, H:52 to 101deg. V:29 to 55deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, 12VDC/PoE+, IK10, IP66/IP67/NEMA 4X, EN55032 ClassA,EN55035, i-PRO white model, -40°C to +55 °C, -40 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting, ClearSight coating	€ 2.050,00
WV-X35302-F2LM	Camera	Compact dome	The WV-X35302-F2LM X-Series Outdoor Compact Dome Network Cameras 2MP(1080p)@60fps, 2.4mm, 1x, H:132deg.V:74deg., H.265/H.264/JPEG, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, DC48 /POE, IK10, IP66/NEMA 4X, , i-PRO white model, -30 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3	€ 720,00
WV-X35402-F2LM	Camera	Compact dome	The S-Series Outdoor Compact Dome Network Cameras 4MP@30fps, 2.4mm, 1x, V:68 to 121deg. H:121deg., IR(14m/46ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Onvif G,M,S,T, microSDXC/microSDHC/microSD, PoE, i-PRO white model, -40°C to +50 °C, Digital Certificates by GlobalSign, Easy Kitting, Preinstalled AI analytics applications, M12 connector	€ 850,00

WV-X6533LN	Camera	PTZ	X-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:1.9 to 66deg.V:1.1 to 39deg., IR(350m/1150ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Defroster, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ClearSight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 4.100,00
WV-X6533LNS	Camera	PTZ	X-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:1.9 to 66deg.V:1.1 to 39deg., IR(350m/1150ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Defroster, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), ClearSight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 5.000,00
WV-X66300-Z3K	Camera	PTZ	The WV-S66300-Z3LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., 250m/820ft, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.850,00
WV-X66300-Z3LK	Camera	PTZ	The WV-S66300-Z3LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., 250m/820ft, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.150,00
WV-X66300-Z3LS	Camera	PTZ	The WV-S66300-Z3LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., 250m/820ft, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.000,00
WV-X66300-Z3S	Camera	PTZ	The WV-S66300-Z3S X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 to 136 mm, 32x, H: 2.4 to 66deg, V: 1.4 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.700,00
WV-X66300-Z4K	Camera	PTZ	The WV-S66300-Z4LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., IR(250m/820ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.425,00
WV-X66300-Z4LK	Camera	PTZ	The WV-S66300-Z4S X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.725,00
WV-X66300-Z4LS	Camera	PTZ	The WV-S66300-Z4LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., IR(250m/820ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.575,00
WV-X66300-Z4S	Camera	PTZ	The WV-S66300-Z4S X-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f= 4.25 to 170 mm, 40x, H:2.0to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.275,00
WV-X66600-Z3K	Camera	PTZ	The WV-S66600-Z3LS X-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.725,00
WV-X66600-Z3LK	Camera	PTZ	The WV-S66600-Z3S X-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.025,00
WV-X66600-Z3LS	Camera	PTZ	The WV-S66600-Z3LS X-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.875,00

WV-X66600-Z3S	Camera	PTZ	The WV-S66600-Z3S X-Series Outdoor PTZ Network Cameras6MP@30fps, f= 4.5 to 135 mm, 30x, H:2.5 to 62deg.V:1.4 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, IA, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.575,00
WV-X66700-Z3K	Camera	PTZ	The WV-S66700-Z3LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@30fps, f= 4.5 to 135 mm, 30x, H:2.1 to 65deg.V:1.2 to 39deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.350,00
WV-X66700-Z3LK	Camera	PTZ	The WV-S66700-Z3S X-Series Outdoor PTZ Network Cameras2MP(1080p)@30fps, f= 4.5 to 135 mm, 30x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.450,00
WV-X66700-Z3LS	Camera	PTZ	The WV-S66700-Z3LS X-Series Outdoor PTZ Network Cameras2MP(1080p)@30fps, f= 4.5 to 135 mm, 30x, H:2.1 to 65deg.V:1.2 to 39deg., IR(200m/656ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.300,00
WV-X66700-Z3S	Camera	PTZ	The WV-S66700-Z3S X-Series Outdoor PTZ Network Cameras2MP(1080p)@30fps, f= 4.5 to 135 mm, 30x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[132dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC/microSDHC/microSD, POE++, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), i-PRO white model, -50 °C to +60 °C , -22°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.200,00
WV-X86530-Z2	Camera	Multi-Sensor	The WV-X86530-Z2 X-Series Outdoor Multi directional PTZ Network CamerasMulti : 3 x 5MP, 1 PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg. V:71deg PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.800,00
WV-X86530-Z2-1	Camera	Multi-Sensor	The WV-X86530-Z2-1 X-Series Outdoor Multi directional PTZ Network CamerasMulti : 3 x 5MP, 1 PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg. V:71 deg PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.800,00
WV-X86531-Z2	Camera	Multi-Sensor	The WV-X86531-Z2 X-Series Outdoor Multi directional PTZ Network CamerasMulti : 4x 5MP 1 PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg. V:71deg PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.100,00
WV-X86531-Z2-1	Camera	Multi-Sensor	The WV-X86531-Z2-1 X-Series Outdoor Multi directional PTZ Network CamerasMulti : 4x 5MP 1 PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg. V:71deg PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.100,00